



**Active BLUE BUTTON**  
RCD05WAV

**RCD05WAV** **BLUE**  
Valiance® RCD Twin White Socket – Active

Twin socket RCD circuit breaker simply replaces an existing twin socket providing two protected switched socket outlets. The contacts break when power supply is temporarily lost.

- Protects appliances from possible fire hazard.
- Manual reset and test button for safety checks.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Automatically disconnects both Live and Neutral connections leaving Earth connection intact.
- Trips out when the power supply is temporarily lost. A safety must for machine tool applications.
- Still protects with lost Neutral.
- Still protects with pulsating DC earth fault currents.
- Complies with BS7288 and BS1363.

**RCD06WPV** **GREY**  
Valiance® RCD Twin White Socket – Passive

Shares all the features and benefits of the RCD05WAV but remains latched when the power supply is temporarily lost.



RCD16ML **Passive GREY BUTTON**



**Active BLUE BUTTON**  
RCD07MAV

**RCD07MAV** **BLUE**  
Valiance® RCD Twin Metal Socket – Active

Twin socket RCD circuit breaker with strong metal construction, ideal for use in factories and other industrial environments where protection against shock and fire hazard is essential.

- Supplied with a 40mm BS metal surface wall box.
- Provides two protected switched socket outlets for convenience and extra safety.
- Manual reset and test button for safety checks.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Automatically disconnects both Live and Neutral connections leaving Earth connection intact.
- Trips out when the power supply is temporarily lost. A safety must for machine tool applications.
- Still protects with lost Neutral.
- Still protects with pulsating DC earth fault currents.
- Complies with BS7288 and BS1363.
- Supplied with a 40mm BS metal surface wall box.

**RCD08MPV** **GREY**  
Valiance® RCD Twin Metal Socket – Passive

Shares all the features and benefits of the RCD07MAV but remains latched when the power supply is temporarily lost.

**RCD16ML** **GREY**  
RCD Metal Fused Connection Unit – Passive

Shares all the features and benefits of the RCD10WPV but in metal, supplied with a 40mm BS metal surface wall box.

**5 YEAR GUARANTEE INCLUDED**  
All Valiance products carry a 5 year guarantee.



**Passive GREY BUTTON**  
RCD10WPV

**RCD10WPV** **GREY**  
Valiance® RCD White Fused Connection Unit – Passive

RCD Fused Connection Unit for additional protection against electric shocks and fire risk. The unit will remain latched if the power supply is tripped.

- Provides additional protection against the dangers of electrocution.
- Eliminates the need for plug-in residual current circuit breakers.
- Protects appliances from possible fire hazard.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Latching for continuous operation after supply interruption.
- Disconnects both Live and Neutral connections leaving Earth connection intact.
- Complies with BS7288.



**WEATHERSAFE IP66 RATING**  
TGV101N

**TGV101N**  
Weathersafe Vision Single Gang 13A Switched Socket

The safest way to take power outdoors. There is no need for running extension cables outside as it features a fully IP66 weatherproof casing with a see-through clear plastic cover and a highly visible power ON indicator. It can be safely used with the lid closed, keeping you fully aware of the power status to your lawnmower, power tool or other appliance.


- Weathersafe 'Vision' see-through clear plastic cover.
- Single gang switched socket – suitable for all 13 amp BS plugs.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Power 'ON' neon indicator clearly visible when lid closed.
- Spacious design allowing full closure of lid with plug in position.
- Complies with BS1363.
- IP66 weatherproof rating.



On all selected products.

**FSTWIFITGV** **Wi-Fi Controlled IP66 Fused Spur**

- Available for Android and iOS only, works with Wi-Fi and 4G.
- Supports multiple devices and multiple users.
- Can reduce running costs if unwanted programmes are cancelled.
- Operating voltage 230V 50Hz.
- 13A rated suitable for 3kW:
  - Immersion heaters.
  - 5A inductive load.
  - 1000W tungsten.
  - 500W LED.
  - 100W CFL.
  - 500W Fluorescent.
- Manual override.
- Replaceable 13 Amp BS1362 fuse.
- Item pre-fitted into IP66 enclosure.
- Double pole isolating switch.
- Operating temperature 0 to 40°C.



**WEATHERSAFE IP66 RATING**  
TGV103N

**TGV103N**  
Weathersafe Vision Single Gang 13A Fused Spur

Weathersafe Vision Fused Spur to control pond pumps, fountains and other permanent outdoor installations. As well as an ON/OFF switch it is fitted with a 13A fuse link and complies with BS1363.

- Weathersafe 'Vision' see-through clear plastic cover.
- Fitted with 13A fuse link.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Power 'ON' neon indicator showing switch status.
- Complies with BS1363.
- IP66 weatherproof rating.



YouTube support available on this product.



All Weathersafe products carry a 3 year guarantee.

See pages 88 – 89 for product specifications.



FSTWIFITGV





WEATHERSAFE  
**IP66**  
RATING

TGV104N

Passive  
**GREY**  
BUTTON

WEATHERSAFE  
**IP66**  
RATING

**TGV104N**

**GREY**

**Weathersafe Vision Single Gang 13A RCD Fused Spur**

Weathersafe Vision RCD Fused Spur gives additional protection against electric shocks and fire risk. The unit will remain latched if the power supply is tripped.

- New Dual Flag Technology provides added protection against the risks of electrocution.
- Weathersafe 'Vision' see-through clear plastic cover.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Contacts remain latched when power supply is temporarily lost.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Complies to BS 7288:2016 and BS1363-4.
- IP66 weatherproof rating.



TGV201N

**TGV201N**

**Weathersafe Vision Twin Gang 13A Switched Socket**

Weathersafe Vision Twin Gang Switched Socket shares all the features and benefits of the TGV101 plus it has two switched sockets, with individual power ON indicators.

- Weathersafe 'Vision' see-through clear plastic cover.
- Twin gang switched socket – suitable for all 13 amp BS plugs.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Power 'ON' neon indicators clearly visible when lid closed.
- Spacious design allows full closure of lid with plug in position.
- Complies with BS1363.
- IP66 weatherproof rating.



See page 89 for product specifications.



WEATHERSAFE  
**IP66**  
RATING

TGV204N

Passive  
**GREY**  
BUTTON

WEATHERSAFE  
**IP66**  
RATING

**TGV204N**

**GREY**

**Weathersafe Vision Twin Gang 13A Switched RCD Socket – Passive**

Weathersafe Vision Switched RCD Socket gives additional protection against the risk of electric shocks at home and in the garden. Ideal for use with lawnmowers, hedge trimmers etc.

- Weathersafe 'Vision' see-through clear plastic cover.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Contacts remain latched when power supply is temporarily lost.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Spacious design allows full closure of lid with plug in position.
- Suitable for all 13 amp BS plugs.
- Complies with BS7288 and BS1363.
- IP66 weatherproof rating.



All these products carry a 3 year guarantee.



TGV205N

Active  
**BLUE**  
BUTTON

**TGV205N**

**BLUE**

**Weathersafe Vision Twin Gang 13A Switched RCD Socket – Active**

Shares all the features of the TGV204N but contacts break when power supply is temporarily lost.

- Weathersafe 'Vision' see-through clear plastic cover.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Automatically disconnects both Live and Neutral connections leaving Earth connection intact.
- Trips out when the power supply is temporarily lost. A safety must for machine tool applications.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Spacious design allows full closure of lid with plug in position.
- Suitable for all 13 amp BS plugs.
- Complies with BS7288 and BS1363.
- IP66 weatherproof rating.



**Weathersafe**  
VISION

This innovative range of outdoor power sockets and switches offer IP66 protection against the elements of dust and rain, splashing water, hose directed water and ice formations and are therefore more than equal to UK weather conditions.

Designed with safety and security in mind, Weathersafe outdoor power products are the safest way to take and use power outside with IP66 lid closure protecting the user.

Weathersafe Vision will accommodate all UK plugs with the lid closing fully. This totally encloses and protects the plugs.

The added bonus of a lockable lid safeguards against unauthorised opening and tampering.

**Product Features**



Weathersafe Vision – clear see-through durable cover.



Locking feature for security against tampering and energy theft.



Simple click to close, pull to open catches.



Multiple M20 screw-outs.



WEATHERSAFE  
IP66  
RATING

TGVL01/TGVL03/TGVL05

**TGVL01**

Weathersafe Single Gang 2-Way Switch (SP)

- 10AX (fluorescent rated).
- Backlit neon illuminates switch for dark areas.
- Complies with BSEN60669.
- Multiple 20mm knock outs.
- IP66 weatherproof rating.

**TGVL03**

Weathersafe Single Gang Bell Push Switch (SP)

- 10AX (fluorescent rated).



WEATHERSAFE  
IP66  
RATING

TGVL02

**TGVL02**

Weathersafe Twin Gang 2-Way Switch (SP)

- 10AX (fluorescent rated).
- Backlit neon illuminates switch for dark areas.
- Complies with BSEN60669.
- Multiple 20mm knock outs.
- IP66 weatherproof rating.

**TGVL05**

Weathersafe Single Gang Switch (DP)

- 20AX (fluorescent rated).



See pages 90 – 91 for product specifications.



WEATHERSAFE  
IP66  
RATING

WXT101N

**WXT101N**

Weathersafe Extreme Single Gang 13A Switched Socket

The safest way to take power outdoors. There is no need for running extension cables outside as it features a fully IP66 weatherproof casing. The WXT101N and all the extreme range feature an impact resistant solid ribbed lid. The IP66 protective housing has multiple replaceable cable outlets and is suitable for all BS 13A plugs.

- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Single gang switched socket – suitable for all 13 amp BS plugs.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Power 'ON' neon indicator showing switch status.
- Spacious design allowing full closure of lid with plug in position.
- Complies with BS1363.
- IP66 weatherproof rating.



All these products carry a 3 year guarantee.



WEATHERSAFE  
IP66  
RATING


WXT103N

**WXT103N**

Weathersafe Extreme Single Gang 13A Fused Spur

Weathersafe Extreme Fused Spur to control pond pumps, fountains and other permanent outdoor installations. As well as an ON/OFF switch it is fitted with a 13A fuse link and complies with BS1363.

- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Fitted with 13A fuse link.
- Power 'ON' neon indicator showing switch status.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Lockable cover facility.
- Complies with BS1363.
- IP66 weatherproof rating.



Lockable cover facility (illustrated with padlock in place).



**Be Extremely Safe!**

Approximately 1000 accidents involving electric shocks at work happen every year, around 30 of which are fatal.

Even non-fatal shocks can cause severe or permanent injury.

Whenever sockets and switches are installed outside or in public spaces, extra protection is called for to ensure the installation is reliable, electrically safe and secure against vandalism and theft.

The Timeguard Vision range of outdoor sockets and switches cover all three areas of concern, providing all the reassurance that you need.

sales office 020 8452 1112 fax 020 8450 0635 TIMEGUARD

**Application Options**

Weathersafe Extreme and Vision outdoor sockets are the safe way to take power outside. In addition to providing protection when using gardening equipment they are essential for all areas where electric equipment is used outdoors.

1



2



3



TIMEGUARD email csc@timeguard.com visit our website timeguard.com



WXT104N

WEATHERSAFE  
IP66  
RATING

Passive  
GREY  
BUTTON

**WXT104N**

**Weathersafe Extreme Single Gang 13A RCD Fused Spur**

Weathersafe RCD Fused Spur gives additional protection against electric shocks and fire risk. The unit will remain latched if the power supply is tripped.

- New Dual Flag Technology provides added protection against the risks of electrocution.
- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Contacts remain latched when power supply is temporarily lost.
- Multiple M20 threaded screw-outs.
- Lockable cover facility.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Complies to BS 7288:2016 and BS1363-4.
- IP66 weatherproof rating.



WXT201N

WEATHERSAFE  
IP66  
RATING

**WXT201N**

**Weathersafe Extreme Twin Gang 13A Switched Socket**

Weathersafe Twin Gang Switched Socket shares all the features and benefits of the single gang socket (WXT101N) plus it has two switched sockets, with individual power ON indicators.

- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Twin gang switched socket – suitable for all 13 amp BS plugs.
- Lockable cover facility.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Power 'ON' neon indicator showing switch status.
- Spacious design allowing full closure of lid with plug in position.
- Complies with BS1363.
- IP66 weatherproof rating.



WXT204N

WEATHERSAFE  
IP66  
RATING

Passive  
GREY  
BUTTON

**WXT204N**

**Weathersafe Vision Twin Gang 13A Switched RCD Socket – Passive**

Weathersafe Extreme Switched RCD Socket gives additional protection against the risk of electric shocks at home and in the garden. Ideal for use with lawnmowers, hedge trimmers etc.

- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Contacts remain latched when power supply is temporarily lost.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Spacious design allowing full closure of lid with plug in position.
- Suitable for all 13 amp BS plugs.
- Complies with BS7288 and BS1363.
- IP66 weatherproof rating.



WXT205N

WEATHERSAFE  
IP66  
RATING

Active  
BLUE  
BUTTON

**WXT205N**

**Weathersafe Vision Twin Gang 13A Switched RCD Socket – Active**

Shares all the features of the WXT204N but contacts break when power supply is temporarily lost.

- Weathersafe 'Extreme' impact resistant solid ribbed lid.
- Extra fast action – trips out within 40 milliseconds (BS7288).
- Automatically disconnects both Live and Neutral connections leaving Earth connection intact.
- Trips out when the power supply is temporarily lost. A safety must for machine tool applications.
- Impact resistant housing.
- Easy release lid catch.
- Multiple M20 threaded screw-outs.
- Test and reset buttons for safety checks.
- Status flag indicator.
- Spacious design allowing full closure of lid with plug in position.
- Suitable for all 13 amp BS plugs.
- Complies with BS7288 and BS1363.
- IP66 weatherproof rating.

GREY

GREY

BLUE

**3 YEAR  
GUARANTEE  
INCLUDED**

All these products carry a 3 year guarantee.

See page 90 for product specifications.



**Weathersafe Extreme**  
**Keep Safe Outside**

The tough impact resistant polycarbonate housing means you can expect years of good service from even the toughest environments where the occasional impact is only to be expected.



There is simply no more need to trail an outdoor cable through to an indoor socket, leaving a door or window open. When using various garden equipment it is just a simple matter of opening the lid, unplugging one piece of equipment and replacing it with another – use the double gang versions and you don't even need to do that.

**Remember... there's no more need for that indoor lead!**





WEATHERSAFE  
**IP65**  
RATING

WP401



WEATHERSAFE  
**IP66**  
RATING



WPM02

WPM01

**WP401**

**Outdoor Multi-Connector Box**

Comes complete with a 4 way, 13 amp socket strip providing the ideal solution for outdoor plug-in power. Ideal for transformer linked garden lighting, fountain pumps, pool filters etc.

- Tough and durable housing.
- 4 gang 13A socket strip included (cable and plug not supplied).
- 1x 20mm cable knock out (mains into socket strip).
- Up to 5x cable seal outlets (to appliances).
- IP65 weatherproof rating.
- Keyhole slot for temporary locating and in-situ alignment.
- Size: 335mm (H) x 220mm (W) x 107mm (D).

**WPM02**

**Outdoor Power Connect-2 Mini Box**

This compact 2-way mini-box is an ideal addition to the larger WP401. Using the Timeguard ETU17 timer it is ideal for garden and festive outdoor lighting. It has tough durable housing and IP66 weatherproof rating.

- Tough and durable housing.
- 2 gang, 13A socket strip included (cable and plug not supplied).
- Multiple appliance cable outlets.
- Spacious design suitable for all 13 amp BS plugs and selective timers.
- Ideal for transformer linked garden lighting and other outdoor appliances.
- IP66 weatherproof rating.
- Keyhole slot for temporary locating and in-situ alignment.
- Size: 230mm (H) x 156mm (W) x 107mm (D).

**WPM01**

**Ground Spike for use with WPM02**

- Allows free standing garden mounting.



On all selected products.



POWERSEAL  
**IP55**  
RATING  
- SOCKETS -  
www.timeguard.com

TPS101



POWERSEAL  
**IP55**  
RATING  
- SOCKETS -  
www.timeguard.com

TPS201

**TPS101**

**Outdoor Single Gang Socket**

Single gang IP55 outdoor socket with spring back socket lid cover. Ideal for most outdoor power needs including power for deck areas, power tools, electric BBQs, lawnmowers and strimmers.

- 13 amp single gang socket.
- 5x 20mm knock out cable entries (bottom entry supplied with cut to size grommet).
- 2x earth terminals in back box.
- Complies with BS1363.
- IP55 weatherproof rating (when lid closed).
- Impact resistant housing.
- Spring back socket lid cover.
- Suitable for all BS 13 amp plugs.

**TPS201**

**Outdoor Twin Gang Socket**

Shares all the features and benefits of the TPS101 plus another 13A socket.

- 13 amp twin gang socket.
- 8x 20mm knock-out cable entries (bottom 2 entries supplied with cut to size grommet).
- 2x earth terminals in back box.
- Complies with BS1363.
- IP55 weatherproof rating (when lid closed).
- Impact resistant housing.
- Spring back socket lid covers.
- Suitable for all BS 13 amp plugs.



All these products carry a 3 year guarantee.



See pages 91 - 92 for product specifications.



**Weathersafe Outdoor Multi-Connector Boxes**

Timeguard's WP401 and WPM02 come complete with a 13A socket strip providing the ideal solution for outdoor plug-in power. Ideal for transformer linked garden lighting, fountain pumps, pool filters etc.

WP401 shown with ETU17 for timing applications.



A weatherproof range of sockets and switches ideally suited to meet your outdoor power needs.

This range includes single and twin gang sockets to IP55.

The twin socket has individual covers to protect the second socket when not in use.





POWERSEAL  
IP55  
RATING  
SOCKETS  
When Lid Closed

TPS203

**TPS203**  
Outdoor Twin Gang Combined 13A Socket and 20A DP Switch

Dual purpose 13A socket outlet and separate 20A DP switch for control of lights, pond pumps, fountains and other permanent features.

- 13 amp single gang socket.
- 20AX (fluorescent rated) single gang DP switch.
- 8x 20mm knock-out cable entries (bottom entry supplied with cut to size grommet).
- 2x earth terminals in back box.
- Complies with BS1363 & EN60669.
- IP55 weatherproof rating when lid closed.
- Impact resistant housing.
- Spring back socket lid cover.
- Suitable for all BS 13 amp plugs.



See pages 91 – 92 for product specifications.



POWERSEAL  
IP55  
RATING  
When Lid Closed

TPS401

**TPS401**  
Multi-Box with 4-Gang Socket Strip and Hinged Lid

- Hinged lid for quick and easy access outdoor power.
- Suitable for 13 amp plugs and selective timers.
- Spacious design allowing for transformer storage.
- Allows up to 4x appliance outlets.
- 5x cable seal outlets.
- Fully weatherproof to IP55 rating.
- 4 way socket strip included (cable and plug not supplied).
- Tough and durable reinforced plastic lid and housing.
- Lockable cover facility.
- Ideal for transformer linked garden lighting and other outdoor appliances.



On all selected products.



WEATHERSAFE  
IP68  
RATING

WXT68IL16

**WXT68IL16**  
In-Line IP68 Connector – 16A

A range of IP68 Outdoor Connectors and junction boxes to assist with outdoor cable and power installations. The WXT68IL16 is a 16A in-line connector with easy hand screw locking nuts and accessible connector tightening points. Complete with IP68 seals and gaskets.

- 16A rating.
- 3 pole connectors.
- Selection of seals for cable entry.
- Easy hand screw locking nuts.
- IP68 weatherproof protection.
- Robust nylon housing.



All these products carry a 3 year guarantee.



WEATHERSAFE  
IP68  
RATING

WXT68IL20

**WXT68IL20**  
In-Line IP68 Connector – 20A

20A in-line connector with easy hand screw locking nuts and accessible connector tightening points. Complete with IP68 seals and gaskets.

- 20A rating.
- 3 pole connectors.
- Selection of seals for cable entry.
- Easy hand screw locking nuts.
- IP68 weatherproof protection.
- Robust nylon housing.




WEATHERSAFE  
IP68  
RATING

WXT68JB25

**WXT68JB25**  
IP68 Junction Box – 25A

25A junction box with easy hand screw locking nuts and accessible connector tightening points. Complete with IP68 seals and gaskets.

- 25A rating.
- 3 or 5 pole connectors.
- Selection of seals for cable entry.
- Easy hand screw locking nuts.
- IP68 weatherproof protection.
- Robust nylon housing.



TPSL01/TPSL03/TPSL04

POWERSEAL  
IP55  
RATING  
SWITCHES  
When Lid Closed

**TPSL01**  
Outdoor Single Gang Switch

- 10AX (fluorescent rated) single gang SP 2-way.
- 5x 20mm cable entries (bottom entry supplied with cut to size grommet).
- 2x earth terminals in back box.
- Complies with EN60669.
- IP55 weatherproof rating (when lid closed).
- Impact resistant housing.

**TPSL02**  
Outdoor Twin Gang Switch

- 10AX (fluorescent rated) twin gang SP 2-way (common live).

**TPSL03**  
Outdoor Single Gang Bell Push

- 10AX (fluorescent rated) single gang SP 1-way.
- Push to make bell.

**TPSL04**  
Outdoor Single Gang 20A DP Switch

- 20AX (fluorescent rated) single gang DP switch.

**Weathersafe Outdoor IP68 Connectors**

A selection of IP68 outdoor power connectors designed to connect cable runs safely in outdoor installations. Ideal for extending cable runs when installing Weathersafe power sockets. Range includes in-line connectors, 'T' connector and junction box, supplied with various seal sizes for differing cable entry.

**WXT68T20**  
IP68 'T' Connector – 20A

20A 'T' connector with easy hand screw locking nuts and accessible connector tightening points. Complete with IP68 seals and gaskets.

- 20A rating.
- 3 pole connectors.
- Selection of seals for cable entry.
- Easy hand screw locking nuts.
- IP68 weatherproof protection.
- Robust nylon housing.



WEATHERSAFE  
IP68  
RATING

WXT68T20